Risk Factors Late Whiplash

Head Rotation at Impact

1576) Carlsson GS, Bunketorp O, Jakobsson L, Norin H: Medical and car impact-related risk factors for the prognosis of WAD. 47th Annual Proceedings, Association for the Advancement of Automotive Medicine, 598-600, September 22-24, 2003.

1473) Bunketorp O, Jakobsson L, Norin H: Comparison of frontal and rear-end impacts for car occupants with whiplash-associated disorders: symptoms and clinical findings. Proceedings of the International IRCOBI Conference, Graz, Austria, September 22-24, 2004, 245-256.

Female Sex

119) Nygren A: Injuries to car occupants–some aspects of interior safety of cars. Acta Oto-Laryngologica (Suppl #394), 1984.

1160) Satoh S, Naito S, Konishi T, Yoshikawa M, Morita N, Okada T, Kageyama T, Matsuzaki I: An examination of reasons for prolonged treatment in Japanese patients with whiplash injuries. J Musculoskel Pain 5(2):71-84, 1997.

1276) Krafft M. A comparison of short- and long-term consequences of AIS 1 neck injuries, in rear impacts. International IRCOBI Conference on the Biomechanics of Impact. September 16-18, 1998, Göteborg, Sweden, 235-248.

1290) Richter M, Otte D, Blauth M. Acceleration related injury of the cervical spine in restrained car drivers. Investigations on the trauma mechanism and severity of injury. Orthopade 28:414-423, 1999.

1345) Richter M, Otte D, Pohlemann T, Krettek C, Blauth M. Whiplash-type neck distortion in restrained car drivers: frequency, causes and long-term results. European Spine Journal 9:109-117, 2000.

1473) Bunketorp O, Jakobsson L, Norin H: Comparison of frontal and rear-end impacts for car occupants with whiplash-associated disorders: symptoms and clinical findings. Proceedings of the International IRCOBI Conference, Graz, Austria, September 22-24, 2004, 245-256.

1501) Krafft M: When do AIS 1 neck injuries result in long-term consequences? Vehicle and human factors. Traffic Injury Prevention 3(2):89-97, 2002.

1514) Krafft M, Kullgren A, Lie A, Tingvall C: The risk of whiplash injury in the rear seat compared To the front seat in rear impacts. International IRCOBI Conference on the Biomechanics of Impact, Munich, Germany, September 18-20, 2002, 203-210.

1560) Scholten-Peeters GGM, Verhagen AP, Bekkering GE, van der Windt AWM, Barnsley L, Oostendorp RAB, Henriks EJM: Prognostic factors of whiplash-associated disorders: a systematic review of prospective cohort studies. Pain 104:303-322, 2003.

1561) Sterling M, Jull G, Vicenzino B, Kenardy J: Sensory hypersensitivity occurs soon after whiplash injury ands is associated with poor memory. Pain 104:509-517, 2003.

1576) Carlsson GS, Bunketorp O, Jakobsson L, Norin H: Medical and car impact-related risk factors for the prognosis of WAD. 47th Annual Proceedings, Association for the Advancement of Automotive Medicine, 598-600, September 22-24, 2003.

1585) Krafft M, Kullgren A, Lie A, Tingvall C: The risk of whiplash injury in the rear seat compared to the front seat in rear impacts. Traffic Injury Prev 4:136-140, 2003.

Rear vector impact vs other vectors

1276) Krafft M. A comparison of short- and long-term consequences of AIS 1 neck injuries, in rear impacts. International IRCOBI Conference on the Biomechanics of Impact. September 16-18, 1998, Göteborg, Sweden, 235-248.

1473) Bunketorp O, Jakobsson L, Norin H: Comparison of frontal and rear-end impacts for car occupants with whiplash-associated disorders: symptoms and clinical findings. Proceedings of the International IRCOBI Conference, Graz, Austria, September 22-24, 2004, 245-256.

1576) Carlsson GS, Bunketorp O, Jakobsson L, Norin H: Medical and car impact-related risk factors for the prognosis of WAD. 47th Annual Proceedings, Association for the Advancement of Automotive Medicine, 598-600, September 22-24, 2003.

Non-Awareness of Impending Impact

197) Ryan GA, Taylor GW, Moore VM, Dolinis J: Neck strain in car occupants: injury status after 6 months and crash-related factors. Injury 25(8):533-537, 1994.

225) Sturzenegger M, Di Stefano G, Radanov B, Schnidrig A: Presenting symptoms and signs after whiplash injury: the influence of accident mechanisms. Neurology 44(4):688-693, 1994.

Immediate/early onset of symptoms (i.e., within 12 hours) and/or more severe initial symptoms

201) Radanov BP, Di Stefano GD, Schnidrig A, Ballinari P: Role of psychological stress in recovery from common whiplash. Lancet 338:712-715, 1991.

243) Parmar HV, Raymakers R: Neck injuries from rear impact road traffic accidents: prognosis in persons seeking compensation. Injury 24(2):75-78, 1993.

386) Radanov BP, Distefano GD, Schnidrig A, et al.: Cognitive functioning after common whiplash: a controlled follow-up study. Arch Neurol 50:87-91, 1993.

797) Radanov BP, Sturzenegger M, Di Stefan G, Schnidrig A: Relationship between early somatic, radiological, cognitive and psychosocial findings and outcome during a one-year follow-up in 117 patients suffering from common whiplash. Br J Rheum 33:442-448, 1994.

799) Radanov BP, Di Stefano G, Schnidrig A, Sturzenegger M: Psychosocial stress, cognitive performance and disability after common whiplash. J Psychosom Res 37(1):1-10, 1993.

1160) Satoh S, Naito S, Konishi T, Yoshikawa M, Morita N, Okada T, Kageyama T, Matsuzaki I: An examination of reasons for prolonged treatment in Japanese patients with whiplash injuries. J Musculoskel Pain 5(2):71-84, 1997.

1586) Jakobsson L, Norin H, Bunketorp O: Whiplash-associated disorders in frontal impacts: influencing factors and consequences. Traffic Injury Prev 4:153-161, 2003.

Increasing Age (i.e., middle age and beyond)

243) Parmar HV, Raymakers R: Neck injuries from rear impact road traffic accidents: prognosis in persons seeking compensation. Injury 24(2):75-78, 1993.

386) Radanov BP, Distefano GD, Schnidrig A, et al.: Cognitive functioning after common whiplash: a controlled follow-up study. Arch Neurol 50:87-91, 1993.

Increasing Age Cont'd

799) Radanov BP, Di Stefano G, Schnidrig A, Sturzenegger M: Psychosocial stress, cognitive performance and disability after common whiplash. J Psychosom Res 37(1):1-10, 1993.

1240) Freeman MD, Croft AC: Late whiplash risk factor analysis of a random sample of patients with chronic spine pain. Submitted.

1290) Richter M, Otte D, Blauth M. Acceleration related injury of the cervical spine in restrained car drivers. Investigations on the trauma mechanism and severity of injury. Orthopade 28:414-423, 1999.

1329) Brison RJ, Hartling L, Pickett W. A prospective study of acceleration-extension injuries following rear-end motor vehicle collisions. Journal of Musculoskeletal Pain 8:97-113, 2000.

1501) Krafft M: When do AIS 1 neck injuries result in long-term consequences? Vehicle and human factors. Traffic Injury Prevention 3(2):89-97, 2002.

1560) Scholten-Peeters GGM, Verhagen AP, Bekkering GE, van der Windt AWM, Barnsley L, Oostendorp RAB, Henriks EJM: Prognostic factors of whiplash-associated disorders: a systematic review of prospective cohort studies. Pain 104:303-322, 2003.

Loss or reversal of cervical lordosis

455) Ettlin T, Kischka U, Reichmann S et al.: Cerebral symptoms after whiplash injury of the neck: a prospective clinical and neuropsychological study of whiplash injury. J Neurol Neurosurg Psychiatr 55(10):943-948, 1992.

Chronic Symptom/incomplete Recovery literature

Olsson I, Bunketorp O, Carlsson SG, Styf J. Prediction of outcome in whiplash-associated disorders using West Haven-Yale multidimensional pain inventory. Clinical Journal of Pain 18(4):238-44, 2002.

Bunketorp L, Nordholm L, Carlsson J.: A descriptive analysis of disorders in patients 17 years following motor vehicle accidents. Eur Spine J 11(3):227-34, 2002.

Berglund A, Alfredsson L, Cassidy JD, Jensen I, Nygren A. The association between exposure to a rear-end collision and future neck or shoulder pain: A cohort study. Journal of Clinical Epidemiology 53:1089-1094, 2000.

Bunketorp O, Jakobsson L, Norin H: Comparison of frontal and rear-end impacts for car occupants with whiplash-associated disorders: symptoms and clinical findings. Proceedings of the International IRCOBI Conference, Graz, Austria, September 22-24, 2004, 245-256.

Nederhand MJ, Hermens HJ, I Jzerman MJ, Turk DC, Zilvold G: Chronic neck pain disability due to an acute whiplash injury. Pain 102:63-71, 2003